. Alatina of Allawahility	Application No.	Applicant(s)	
	10/719,166	MARTIN, JAY K.	
Notice of Allowability	Examiner	Art Unit	
	John M. Jillions	3654	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-30</u> .			
3. The drawings filed on 21 November 2003 are accepted by the Examiner.			
4.			
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 11/21/03 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), te ment/Comment	·

Application/Control Number: 10/719,166 Page 2

Art Unit: 3654

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Page 4, line 2, the comma has been changed to a period.

Page 7, line 7, "provid3ed" has been changed to -provided--.

Page 12, line 10, "124" second occurrence has been changed to -122-.

Page 12, line 26, "200" has been deleted.

Page 12, line 27, --200—has been added after "cable" first occurrence.

2. The following is an examiner's statement of reasons for allowance: the prior art fails to show or render obvious in a cable take-up device as set forth in the independent claims, the provision of a rotatable spool end wall rotatably affixed to, mounted or situated on the first spool end, and a cable guide that rotates with the rotatable end wall and translates along a path parallel to the spool axis (or translates the guide along the track as recited in claims 17 and 25) during such rotation. While the Perry device includes a rotatable end wall and cable guide that rotates with the end wall, such guide is not translatable. Some of the other prior art devices have translatable and orbital cable guides that function to place the cable on a stationary drum. However none of these mechanisms are associated with a rotatable end wall. Absent applicant's

Art Unit: 3654

disclosure there would have been no reason to modify any of the prior art references, nor would it have been obvious how such modifications would be made, to meet the claimed subject matter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John M. Jillions whose telephone number is (703) 308-2685. The examiner can normally be reached on M-F 9:15 - 5:45.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kathy Matecki can be reached on (703) 308-2688. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John M. Jillions Primary Examiner Art Unit 3654